

FireFX

Atlas

Woodburning



Key Features



Atlas 1

Atlas 2

Atlas 3

Ecodesign Compliant

✓

✓

✓

Max Efficiency

up to 81%

up to 82%

up to 82%

Energy Efficiency Class

A+

A+

A+

Nominal Heat Output

5kW

6.2kW

6.2kW

Max Dimensions (H x W x D mm)

984 x 510 x 450

1019 x 510 x 450

1119 x 510 x 450

Convenient lower wood storage compartment

✓

✓

✓

Cast Iron Top Plate

-

✓

✓

Tall side windows for 180° view

-

✓

✓

DEFRA-exempt for smoke control zones

✓

✓

✓

Cleanburn and Airwash systems

✓

✓

✓

Convactor heat system

✓

✓

✓

Integral heat shields

✓

✓

✓

12mm hearth compatible

✓

✓

✓

Integrated external air connection

✓

✓

✓

Flue outlet (internal diameter)

150mm (6") top and rear

150mm (6") top and rear

150mm (6") top and rear





Atlas 1



FireFX

A new world of warmth

Cylindrical, tall and captivating, the FireFX Atlas woodburning stove range blends Scandinavian elegance with British practicality. Each model - Atlas 1, 2 and 3 - is crafted from robust steel and cast iron, combining striking presence with enduring performance.

A curved glass window offers a stunning, uninterrupted view of the flames, while the Atlas 2 and Atlas 3 expand the experience with side panels for a panoramic 180° display. The Atlas 3 goes further still, with sleek extended black glass creating a seamless, architectural finish.

Delivering up to 82% efficiency, the Atlas range produces powerful convected heat for balanced warmth throughout the room. Every model is Ecodesign compliant and DEFRA-exempt, ensuring cleaner, efficient burning even in smoke control zones. Thoughtful touches such as concealed log storage behind the lower door and optional external air supply complete the design, bringing modern refinement to fireside comfort.



See them burning
firefxfires.com/atlas





Five Year Extended Warranty

When you purchase a FireFX stove from our Expert Retailer Network your retailer will provide you with a Two Year Warranty for your new solid fuel stove. This can then be extended to a Five Year Warranty provided your stove is registered with FireFX. Full warranty terms and conditions are available to view at [firefxfires.com](https://www.firefxfires.com)



Atlas 2

Advanced Ecodesign Performance

All FireFX Atlas stoves comply with the latest Ecodesign standards for low emissions and high efficiency - setting the benchmark for cleaner, responsible home heating. Burning sustainably sourced wood offers a low-carbon way to warm your home, and seasoned or kiln-dried logs ensure optimum performance and a cleaner, efficient burn.






Atlas 2

Technical Information

Atlas Woodburning Stoves



Dimensions

Model	Product Code	A	B	C	D	E	F	G	H	I Ø
Atlas 1	732-076	980	510	450	830	170	170	91	448	150
Atlas 2	732-105	1020	510	440	850	170	165	86	444	150
Atlas 3	732-149	1120	510	440	950	170	161	86	444	150

Dimensions given are in mm

FireFX

Stovax Gazco Limited

Spitfire Avenue, Skypark, Clyst Honiton,
Exeter, Devon, EX5 2FR

Trade Sales 01392 261999

Email info@firefxfires.com

  [firefxfires.com](https://www.firefxfires.com)

Important Safety & Technical Information

A site survey by a qualified solid fuel installer is recommended before purchase, and all FireFX solid fuel stoves must be installed by an approved professional. Fires and stoves require adequate air supply; consult a competent person of solid fuel installations to advise if a fixed air vent is needed to meet Building Regulations. A Carbon Monoxide monitor is legally required. During use, all stove surfaces, particularly the glass panel in the door, become extremely hot and can cause serious injury if touched. Use a fireguard conforming to the latest version of BS 8423 when children, the elderly, or infirm are present.

Photography Information

FireFX pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.

FXATLAS1125

